50 Years Later: Revisiting the Odyssey of *Paenibacillus xerothermodurans* and Planetary Protection Efforts for the Viking Missions

Douglas C. Youvan

doug@youvan.com

March 23, 2024

Fifty years after its groundbreaking discovery, the narrative of *Paenibacillus xerothermodurans*—from an intriguing soil bacterium to a focal point in planetary protection discourse—remains a testament to the ever-evolving field of astrobiology and space exploration. In the summer of 1975, within the Space Sciences Laboratory in Richmond, CA, a collaborative effort embarked on unraveling the mysteries of this organism. As a first-year graduate student in the Biophysics Department at UC Berkeley, I found myself at the confluence of pioneering research that would significantly impact NASA's Viking missions to Mars. This work not only highlighted the extraordinary resilience of *Paenibacillus xerothermodurans* to dry heat sterilization but also underscored the complexities of ensuring that our ventures into space do not compromise the integrity of extraterrestrial ecosystems. Reflecting on this journey after five decades, we delve into how this discovery catalyzed a reevaluation of sterilization protocols and planetary protection policies, ensuring that the ethos of responsible exploration remains at the forefront of humanity's quest to explore the cosmos. This retrospective exploration invites us to appreciate the delicate balance between human curiosity and our stewardship of the uncharted worlds that lie beyond our own.

Keywords: *Paenibacillus xerothermodurans*, planetary protection, Viking missions, space exploration, astrobiology, microbial resilience, sterilization protocols, Space Sciences Laboratory, UC Berkeley Biophysics, extraterrestrial ecosystems, responsible exploration.

Life Sci Space Res. 1977:15:65-72.

Morphology of extremely heat-resistant spores from Bacillus sp. ATCC 27380 by scanning and transmission electron microscopy

D Youvan [1], M Watanabe, R Holmquist

Affiliations – collapse

Affiliation

[1] Space Sciences Laboratory, University of California, Berkeley, USA.

PMID: 12596808

Abstract

Bacillus sp. ATCC 27380 is a recently discovered aerobic mesophile, isolated from surface soil, that produces spores with extreme resistance to dry heat: the length of time to 90% kill is 139 hr at 125 degrees C and 13-17 hr at 138 degrees C. Values for spores from other known species range from 5 to 100 min. The molecular basis for this extreme heat resistance is unknown. We report a structural analysis of the internal and external mature spore morphology obtained by both scanning and transmission electron microscopy. Both modes of microscopy delineate a morel-like structure characterized by irregular, but distinct, polygonal ridges suggestive of extreme dehydration. Some spores also possess an appendage resembling the bun of a brioche. This bun-like body is possibly unique to this species. In cross section the spore exhibits a many-layered structure, each layer with a characteristic fine structure. These morphological characters do not suffice to explain the observed resistance to dry heat at extreme temperatures. They do form a basis for the chemical characterizations which will be necessary to understand this heat resistance at the molecular level. The concept of "solid state spore" is put forward as a generalization that may be useful towards understanding this resistance.



Introduction

Planetary protection is a guiding principle in space exploration, aimed at preventing the contamination of celestial bodies with Earth-originating life and vice versa. This concept is not only crucial for preserving the scientific integrity of extraterrestrial environments for future study but also for upholding the interstellar responsibility to avoid adversely affecting any potential extraterrestrial life forms. The importance of planetary protection has grown alongside our understanding of the resilience of life in extreme environments on Earth, highlighting the potential for microbial life to survive the harsh conditions of space travel.

The Viking missions, launched by NASA in 1975, were landmark events in the history of planetary exploration. As the first U.S. missions to land on Mars, Viking 1 and Viking 2 were tasked with conducting experiments designed to detect signs of life. A critical aspect of these missions was ensuring that the Martian surface was not contaminated by Earth life, which could potentially interfere with the experiments and lead to false positives or negatively impact the Martian ecosystem. This concern underscored the necessity for rigorous sterilization protocols for spacecraft, to eliminate any microbial hitchhikers.

The sterilization efforts for the Viking missions were unprecedented in their rigor. Equipment was subjected to dry heat sterilization, a method believed to be sufficient for killing all known Earth microbes. However, the discovery of exceptionally heat-resistant spores, such as those from *Bacillus sp. ATCC 27380* (later reclassified as *Paenibacillus xerothermodurans*), posed a significant challenge to these assumptions. The existence of such organisms raised critical questions about the efficacy of existing sterilization methods and the potential for microbial life to survive the journey to Mars, thus evading detection by the Viking experiments and contaminating the Martian surface.

The implications of these findings extended far beyond the Viking missions, influencing the development of planetary protection policies and

sterilization standards for future space exploration efforts. This introduction sets the stage for a detailed exploration of the challenges posed by *Paenibacillus xerothermodurans*, the evolution of microbial taxonomy, and the ongoing efforts to ensure that humanity's quest to explore the cosmos does not come at the expense of the very life forms we seek to discover.

Historical Context: The Discovery of *Bacillus sp. ATCC 27380*

The journey into understanding the resilience of microbial life under extreme conditions took a significant turn with the discovery of *Bacillus sp. ATCC 27380*. This bacterium was isolated from surface soil, an unassuming origin that belied the extraordinary capabilities of its spores. The initial discovery and characterization of this organism were crucial in expanding our knowledge of microbial resistance to extreme environmental stressors, particularly dry heat, which is of paramount importance in the context of sterilizing spacecraft intended for other planets.

Bacillus sp. ATCC 27380 was not just another soil bacterium; it was an aerobic mesophile that produced spores with an unprecedented resistance to dry heat. This discovery was brought to light in the seminal 1977 study by Youvan, Watanabe, and Holmquist, published in *Life Sciences Space Research*. Their research meticulously documented the spore's morphology through both scanning and transmission electron microscopy, revealing a unique "morel-like" structure characterized by irregular, polygonal ridges. This morphological feature was suggestive of extreme dehydration, a condition that typically enhances spore resistance to physical and chemical challenges.

The study highlighted a staggering comparison: while spores from other known species could withstand dry heat for 5 to 100 minutes before reaching a 90% kill rate, the spores of *Bacillus sp. ATCC 27380* demonstrated survival times of 139 hours at 125 degrees Celsius and 13-17

hours at 138 degrees Celsius. Such extreme heat resistance was unprecedented and posed intriguing questions about the molecular basis underlying this resilience.

Furthermore, the researchers observed an appendage in some spores resembling the bun of a brioche, a potentially unique feature that could aid in distinguishing this species from others. The cross-sectional analysis of the spores revealed a complex, many-layered structure, each layer contributing to the spore's robustness against extreme conditions. Despite these detailed morphological characterizations, the study acknowledged that the exact mechanisms conferring such high-level heat resistance remained a mystery, laying the groundwork for future chemical and genetic investigations.

This detailed analysis not only underscored the spore's structural uniqueness but also introduced the concept of a "solid state spore." This conceptualization aimed to provide a framework for understanding the spore's resistance mechanisms, potentially applicable to a broader range of extremophilic organisms. The work of Youvan, Watanabe, and Holmquist in 1977 thus set a new benchmark in microbial ecology and astrobiology, challenging existing assumptions about life's resilience and sparking further research into the limits of life's adaptability to extreme environments.

Planetary Protection Concerns and NASA's Response

The discovery of *Bacillus sp. ATCC 27380*, later known as *Paenibacillus xerothermodurans*, and its extraordinary resistance to dry heat sterilization posed significant implications for NASA's Viking missions to Mars. The Viking landers, designed to search for life on Mars, were subjected to rigorous sterilization protocols to prevent the accidental transport and deposition of Earth life on the Martian surface. This process was critical for the integrity of the experiments designed to detect Martian life and for

adhering to international planetary protection treaties, which mandate the prevention of biological contamination of celestial bodies.

The implications of finding a microbe with such extreme heat resistance were twofold. Firstly, it questioned the efficacy of the sterilization methods employed at the time. NASA's approach to sterilization, primarily involving dry heat, was based on the assumption that it was sufficient to eliminate all known terrestrial microbial life. The survival capabilities of *Paenibacillus xerothermodurans* spores suggested that these assumptions needed revisiting, raising concerns that existing protocols might not be adequate for ensuring the sterility of spacecraft.

Secondly, the presence of such microbes in soil at locations like Cape Canaveral, where spacecraft are launched, highlighted the potential risk of forward contamination. This risk was not just theoretical; it had tangible implications for the scientific and ethical dimensions of space exploration. Contaminating Mars or any other celestial body with Earth life could irreversibly compromise future scientific research, particularly studies aimed at understanding the potential for indigenous life on those planets.

NASA's response to these concerns was multifaceted. Recognizing the need for more stringent sterilization methods, NASA embarked on a reassessment of its sterilization standards and procedures. This reassessment involved research into alternative sterilization techniques that could ensure the elimination of even the most resilient microbes. The agency also intensified its research into the resistance mechanisms of extremophilic organisms, aiming to better understand how some microbes can survive space travel conditions.

Moreover, NASA's planetary protection policies were reviewed and updated in light of these findings. The agency increased its investment in microbiological research, focusing on identifying and characterizing extremophiles that could potentially survive space travel and the harsh conditions of other planets. This research helped refine NASA's approach to

planetary protection, ensuring that it remained in line with the latest scientific knowledge and technological advancements.

The concerns raised by the survival capabilities of *Paenibacillus xerothermodurans* spores also led to broader discussions within the international space community about the need for global standards in planetary protection. NASA's efforts to address these challenges underscored its commitment to responsible space exploration and the preservation of extraterrestrial environments for future generations. The legacy of the Viking missions, therefore, extends beyond their scientific achievements on Mars, contributing to the ongoing evolution of planetary protection policies and practices that seek to balance human curiosity and exploration with the preservation of the cosmos.

Taxonomic Reevaluation and the Emergence of *Paenibacillus xerothermodurans*

The journey from *Bacillus sp. ATCC 27380* to *Paenibacillus xerothermodurans* is a testament to the evolving nature of microbial taxonomy, driven by advances in genetic analysis and a deeper understanding of bacterial phylogenetics. This transition reflects a broader shift in the field of microbiology, where the classification and naming of organisms increasingly rely on DNA sequencing and molecular data, alongside traditional phenotypic characteristics.

The Transition from Bacillus to Paenibacillus

The genus *Paenibacillus* was established in the early 1990s, separating from the genus *Bacillus* based on a combination of phenotypic and genetic criteria. This delineation was largely facilitated by 16S rRNA sequencing, a powerful tool in microbial taxonomy that allows for the comparison of organisms based on highly conserved regions of their genetic material. The

division into a separate genus underscored the genetic and functional diversity of these bacteria, previously grouped under the broad umbrella of *Bacillus*.

Paenibacillus species are known for their varied habitats and physiological capabilities, including nitrogen fixation, antibiotic production, and, as in the case of *Paenibacillus xerothermodurans*, extreme resistance to desiccation and heat. This diversity reflects the genus's adaptability to different environmental niches and its potential importance in various ecological and industrial processes.

Reclassification of Bacillus sp. ATCC 27380 to Paenibacillus xerothermodurans

The reclassification of *Bacillus sp. ATCC 27380* as *Paenibacillus xerothermodurans* was a significant milestone in understanding this organism's place within the microbial world. This change was not merely administrative; it represented a shift in understanding the organism's evolutionary relationships, ecological roles, and the mechanisms underlying its remarkable heat resistance.

The reclassification highlighted the importance of genetic and molecular analysis in revealing the true diversity of life forms on Earth. It also emphasized the need for a dynamic approach to taxonomy, one that can adapt as new information becomes available. For *Paenibacillus xerothermodurans*, this meant recognition of its unique characteristics and its separation from other heat-resistant Bacillus species, providing a clearer understanding of its evolutionary history and biological capabilities.

Significance of the Change

The emergence of *Paenibacillus xerothermodurans* as a distinct species has significant implications for various fields, from astrobiology and planetary protection to industrial microbiology. For astrobiology, understanding the survival mechanisms of *Paenibacillus xerothermodurans* can inform the

development of strategies to detect life on other planets and ensure the sterility of spacecraft. In the context of planetary protection, this knowledge is crucial for developing sterilization protocols that are robust enough to prevent terrestrial microbes from contaminating celestial bodies.

Furthermore, the study of *Paenibacillus xerothermodurans* and its extreme heat resistance opens up potential applications in biotechnology, such as the development of enzymes and other biomolecules capable of functioning under extreme conditions. This could have ramifications for industries ranging from pharmaceuticals to biofuels, where processes often require stability under high temperatures.

In summary, the taxonomic reevaluation and emergence of *Paenibacillus xerothermodurans* underscore the dynamic nature of microbial classification and its implications for understanding life's adaptability to extreme environments. This reclassification has enriched our understanding of microbial diversity and its potential applications, highlighting the intertwined nature of taxonomy, ecology, and biotechnology.

Impact on Planetary Protection Policies and Procedures

The discovery of *Paenibacillus xerothermodurans*, with its spores' remarkable resilience to extreme dry heat, marked a pivotal moment in the field of planetary protection. This organism's ability to withstand conditions previously believed to sterilize space-bound equipment necessitated a critical reevaluation of NASA's sterilization protocols and planetary protection policies. The implications of this discovery were profound, extending beyond the technicalities of spacecraft sterilization to encompass the ethical and scientific responsibilities of exploring other celestial bodies.

Revising Sterilization Protocols

NASA's initial response to the discovery of *Paenibacillus xerothermodurans* involved a thorough review of existing sterilization methods. The organization had to confront the reality that the standard protocols, primarily based on dry heat sterilization, might not be sufficient to eliminate all forms of microbial life capable of surviving the harsh journey through space and the extreme conditions on planets like Mars.

This realization spurred research into alternative sterilization techniques that could offer higher assurances of removing resilient microbial life. Among these were advancements in chemical sterilization, radiation exposure, and the exploration of more extreme heat treatments, all aimed at ensuring that spacecraft could be declared free of terrestrial life to the highest degree possible.

The discovery also influenced the design and materials selection for future spacecraft, with an increased focus on ensuring that all components could withstand the more rigorous sterilization processes without degradation, thus maintaining their functionality and integrity for their missions.

Influencing Planetary Protection Policies

On a broader scale, the findings regarding *Paenibacillus xerothermodurans* had a significant impact on the development and refinement of planetary protection policies. NASA, alongside international space agencies and the Committee on Space Research (COSPAR), began to reevaluate the guidelines governing the sterilization of spacecraft destined for planets with the potential for life.

These policies, which are crucial for preserving the scientific value of astrobiological investigations and respecting the pristine conditions of celestial bodies, were updated to reflect the newfound understanding of microbial resilience. The case of *Paenibacillus xerothermodurans*

underscored the need for dynamic, evidence-based planetary protection standards that could evolve in response to new scientific discoveries.

The Role of Microbial Research in Space Exploration

The challenges posed by *Paenibacillus xerothermodurans* highlighted the indispensable role of microbial research in the context of space exploration. It has become clear that a deep understanding of microbial life—its diversity, survival strategies, and resilience under extreme conditions—is fundamental to ensuring the integrity of space missions and the protection of extraterrestrial environments.

Microbial research is now an integral part of mission planning and execution, guiding decisions on sterilization, materials selection, and even mission architecture to prevent contamination. Furthermore, this research enriches our understanding of life's potential to thrive in extreme environments, informing the search for life beyond Earth and expanding our knowledge of the limits of life in the universe.

In sum, the discovery of *Paenibacillus xerothermodurans* has profoundly influenced NASA's approach to planetary protection, catalyzing advancements in sterilization technology, shaping policy development, and reinforcing the critical role of microbiology in space exploration. These efforts not only aim to safeguard the scientific integrity of space missions but also reflect a commitment to exploring the cosmos responsibly and ethically, with a profound respect for the unknown landscapes and potential life forms that await discovery beyond our planet.

Future Directions in Planetary Protection and Astrobiology

As we stand on the cusp of a new era of space exploration, with ambitions extending from returning humans to the Moon to crewed missions to Mars

and beyond, the fields of planetary protection and astrobiology face a host of new challenges and opportunities. The discovery of organisms like *Paenibacillus xerothermodurans* has underscored the complexity of ensuring that interplanetary exploration does not compromise the pristine environments of other celestial bodies or the integrity of the search for extraterrestrial life. This realization is driving innovation in both technology and methodology, with significant implications for future missions.

Emerging Technologies and Methods

Advancements in technology are paving the way for more sophisticated approaches to detecting and sterilizing resilient microbes. For example, the development of next-generation sequencing (NGS) technologies allows for the rapid and comprehensive characterization of microbial communities on spacecraft surfaces. This genomic approach can identify potential contaminants with a level of precision previously unattainable, facilitating targeted sterilization efforts.

In terms of sterilization, research is focusing on novel methods that could offer more effective solutions than traditional dry heat sterilization. Techniques such as vaporized hydrogen peroxide, plasma sterilization, and advanced UV radiation treatments are being explored for their potential to eliminate even the most tenacious of microbes. These methods, combined with the development of new materials and coatings designed to resist microbial adherence and growth, represent the cutting edge of spacecraft sterilization technology.

Additionally, robotic and autonomous systems are being developed to perform contamination control and monitoring tasks both before launch and during missions. These systems could play a critical role in maintaining the sterility of spacecraft, particularly in areas that are difficult for humans to access.

The Role of Research in Astrobiology and Microbial Ecology

Ongoing research in astrobiology and microbial ecology is essential for understanding the potential for life in the universe and for informing the development of planetary protection policies. This research spans a wide range of disciplines, from studying the extremophiles of Earth's most inhospitable environments to modeling the potential habitability of extraterrestrial environments.

One key area of focus is the study of extremophiles, which can survive in conditions analogous to those found on other planets and moons. By understanding the mechanisms that enable these organisms to thrive in extreme heat, cold, radiation, or desiccation, scientists can better predict where life might exist beyond Earth and how to detect it.

Furthermore, as missions aim to collect and return samples from other celestial bodies, research into biocontainment and biosafety protocols becomes increasingly important. This includes developing secure containment facilities on Earth capable of preventing any potentially biohazardous extraterrestrial materials from contaminating the biosphere.

Crewed Missions and Beyond

For crewed missions to Mars and other destinations, the challenges of planetary protection are compounded by the need to support human life while preventing contamination. Research into life support systems that recycle water and air, while minimizing microbial contamination, is ongoing. Additionally, strategies for minimizing the biological footprint of human explorers—such as the development of suits and habitats that reduce the shedding of microbial contaminants—are under active investigation.

The integration of planetary protection considerations into the design and planning of future missions will ensure that as humanity steps further into the cosmos, it does so responsibly. By harnessing emerging technologies and continuing to push the boundaries of astrobiology and microbial ecology research, space agencies and scientists worldwide are working to

preserve the integrity of other worlds while unraveling the mysteries of life in the universe.

Conclusion

The saga of *Paenibacillus xerothermodurans*, from its initial discovery as an unassuming soil bacterium to its pivotal role in shaping planetary protection policies, encapsulates a profound narrative in the annals of space exploration. This microbe's extraordinary resistance to dry heat sterilization challenged previous assumptions and spurred a comprehensive reevaluation of how we prepare for the journey beyond our planet. The implications of this discovery extend far beyond the confines of microbiology, touching upon the ethical, scientific, and technical dimensions of interplanetary travel.

Paenibacillus xerothermodurans underscores the resilience of life, revealing that our understanding of the limits of biological endurance is still evolving. Its existence has been a catalyst for advancements in sterilization technologies and methodologies, ensuring that spacecraft can be adequately sterilized to prevent the contamination of pristine extraterrestrial environments. Moreover, the reclassification and deeper understanding of this bacterium highlight the dynamic nature of scientific discovery, reminding us that our grasp of the natural world continues to grow and change with each new finding.

This journey also reflects a broader philosophical and ethical challenge inherent in space exploration: the balance between humanity's innate desire to explore and discover new worlds and the responsibility to preserve these worlds in their natural states for scientific discovery. Planetary protection policies, shaped in part by the lessons learned from *Paenibacillus xerothermodurans*, embody our commitment to this balance,

ensuring that our exploratory endeavors do not inadvertently harm the very objects of our fascination.

As we stand on the threshold of a new era of exploration, with ambitions that stretch from the red sands of Mars to the icy realms of Europa and beyond, the story of *Paenibacillus xerothermodurans* serves as a potent reminder of the complexities involved in venturing into the cosmos. It underscores the need for ongoing research, vigilance, and innovation in both technology and policy to navigate the challenges of planetary protection.

Reflecting on the legacy of *Paenibacillus xerothermodurans*, we are reminded that the quest to explore the universe is not just a technical challenge but a stewardship. As we reach out to touch the stars, we carry with us the responsibility to safeguard the integrity of other worlds, preserving them for future generations to study and marvel at. In this balance between exploration and preservation, we find the true spirit of discovery, one that honors both our curiosity and our duty to the cosmos.